

6. (Amended) Liquid-crystal switching element according to Claim 1, characterized in that the optical retardation of the liquid-crystal layer is from $0.20\mu\text{m}$ to $0.37\mu\text{m}$.

7. (Amended) Liquid-crystal switching element according to Claim 1, characterized in that the optical retardation of the liquid-crystal layer is from $0.07\mu\text{m}$ to $0.17\mu\text{m}$.

8. (Amended) Liquid-crystal switching element according to Claim 1, characterized in that it contains at least one birefringent layer.

10. (Amended) Liquid-crystal switching element according to Claim 8, characterized in that the optical retardation of the birefringent layer or of the birefringent layers $[(d \cdot \Delta n)_{\text{BL}}]$ corresponds either to essentially half or essentially twice the optical retardation of the liquid-crystal layer $[(d \cdot \Delta n)_{\text{LC}}]$.

13. (Amended) Liquid-crystal switching element according to Claim 1, characterized in that the switching element contains no birefringent layer.

15. (Amended) Liquid-crystal switching element according to Claim 13, characterized in that the optical retardation of the liquid-crystal layer in the fully switched state is from 0 nm to 80 nm, preferably from 0 nm to 40 nm.

16. (Amended) Liquid-crystal switching element according to Claim 13, characterized in that the liquid-crystal layer has positive dielectric anisotropy.

17. (Amended) Liquid-crystal switching element according to Claim 13, characterized in that it can be operated in normally white mode.

18. (Amended) Liquid-crystal switching element according to Claim 13, characterized in that it is a reflective liquid-crystal switching element.

- Contd. out 7
19. (Amended) Liquid-crystal switching element according to Claim 13, characterized in that it is a transmissive liquid-crystal switching element.
20. (Amended) Liquid-crystal switching element according to Claim 13, characterized in that the liquid-crystal layer has negative dielectric anisotropy.
21. (Amended) Electro-optical liquid-crystal device, characterized in that it contains a liquid-crystal switching element or a plurality of liquid-crystal switching elements according to Claim 1.
-
23. (Amended) Electro-optical liquid-crystal display device according to Claim 21, characterized in that the liquid-crystal switching elements are addressed by means of a matrix of active electrical switching elements.
24. (Amended) Use of an electro-optical liquid-crystal switching element or a plurality of electro-optical liquid-crystal switching elements according to Claim 1 in a liquid-crystal display device.
-